

## Questions

## Answers

UHND

- |   |   |  |
|---|---|--|
| 1 | <b>How many Obstructive Sleep Apnoea home sleep studies do you perform per week? (approx.)</b>  | 15   |
| 2 | <b>In your Sleep and Respiratory Services which diagnostic methods (not brand) do you routinely use (first-line) for the diagnosis of Obstructive Sleep Apnoea? (e.g. Polysomnography, polygraphy, Oximetry) (Could be multiple choice)</b> | <p>Polysomnography<br/>Polygraphy<br/>Peripheral Arterial Tonometry (PAT)<br/>Oximetry<br/><b>Other (please state) Limited polysomnography</b></p>   |
| 3 | <b>For the diagnosis of Obstructive Sleep Apnoea, which manufacturer's technology do you use? (e.g. ResMed, Nox, Nonin, Watch PAT Itamar) (Could be multiple choice)</b>  | <p><b>ResMed</b><br/><b>Nox</b><br/>Nonin<br/>Minolta<br/>Watch PAT (Itamar)<br/>Somnomedics (S-Med)<br/>BMC<br/>Sefam<br/>Philips<br/>Visilab<br/>Other</p>   |
| 4 | <b>For sleep apnoea home sleep studies, how do you most commonly provide diagnostic equipment to patients? (e.g. Patient collects, courier, combination)</b>  | <p><b>The patient (or representative) picks up and drop off from the clinic</b><br/>Sent via courier, pickup and drop off<br/>Combination of in-person and courier (patient preference)<br/>Via third party service provider<br/>Other</p> |
| 5 | <b>In your service, please indicate the approximate percentage (%) of new patients who are setup with a CPAP device via:</b>  |  |

		Face to face setup (patient in hospital)	100%
		Virtual telephone/video call setup (patient at home)	0%
		Self-guided, using instructions provided with the device (patient at home)	0%
		Via third party service provider	0%
		Other (please state)	0%
6	During the first 90 days of CPAP therapy, on average how many times do you proactively follow-up with patients to support them?		
		0	
		1	
		<b>2</b>	
		3	
		4	
		5	
6	For the ongoing management of compliant Obstructive Sleep Apnoea patients, what is your most common follow-up process? (e.g. scheduled virtual follow-up, scheduled face to face follow up, reactive)		
		PIFU (patient initiated follow up) / Active discharge	
		Scheduled face to face follow-up	
		<b>Scheduled virtual follow-up (telephone/video call)</b>	
		No follow ups offered	
		Other (please state)	
7	How do you most commonly distribute CPAP consumables and accessories (masks, tubing etc.) to patients? (e.g. Patient collects, post)		
		<b>Patient collects from the clinic</b>	
		<b>Via post / courier</b>	
		Third-party service provider	
		Other (please state)	